


SOLAR POWERED ADDRESS SIGN

Item No. 210458

User Guide

Thank you for purchasing the Solar Powered Address Sign. Please read this manual thoroughly before operating this device.

SPECIFICATIONS




| | |
|-------------------|--|
| Material | ABS+PS |
| Power Source | Solar Powered |
| Battery Capacity | 1800mAh |
| Charging Time | 5-6 Hours |
| Working Time | Up to 20 Hours |
| Color Temperature | Warm White, Cool White, Daylight White |
| Beam Angle | 180° |
| Waterproof | Yes(IP65) |
| Numbers of LEDs | 22 LEDs |

COLOR TEMPERATURE SELECTION

Shift the switch to the left to choose between three colors:

1. Warm White [2700K] - ON
2. Cool White [6500K]
3. Daylight White [4000K]




NOTE: The plastic protective cover on the switch is waterproof. Please do NOT take it apart.

INSTALLATION OPTIONS

NOTE: Before installation, please turn on the switch button behind the plaque and chose the color light temperature you want. Allow the light to be fully charged under direct sunlight for 5-6 hours.

OPTION 1: In-Ground



Step 1: Use the number-fixed cardboard and stick 3, 4 or 5 numbers on the plaque as you need.


Step 2: Insert the poles and the spike together with the connectors.

Step 3: Connect the pole to the plaque by aligning the T-connector with the two slots behind, then pull it up to the correct position.

Step 4: Lock the pole firmly by aligning the buckle with the two holes below the back of the plaque, then fit it with the screws.

Step 5: Insert the spike firmly into the ground.

OPTION 2: Wall Mounted



Step 1: Use the number-fixed cardboard and stick 3, 4 or 5 numbers on the plaque as you need.

Step 2: Drill two holes into the wall aligned with the slots behind the plaque.

Step 3: Fix the anchors and screws into the holes of the wall firmly.

Step 4: Hang the plaque by putting the two slots into the screws.

HOW THE LIGHT WORKS

- **Daytime Operation:** The light turns off automatically and is powered by solar energy during the day.
- **Nighttime Operation:** The light turns on automatically at night.

NOTE: *The solar panel is sensitive, so the light may not turn on if the environment is slightly bright.*

WARNING

- Ensure the light is placed under direct sunlight for 5-6 hours before first use.
- Do not disassemble the battery.
- The performance of the solar panel can be affected by weather and location.
- Avoid placing the light in extremely hot conditions or near fire.
- Modifying the product will void the warranty.

WARRANTY AND CUSTOMER SERVICE

This item from SharperImage.com includes a 1-year limited replacement warranty. If you have any questions not covered in this guide, please call our Customer Service department at 1 (877) 210-3449. Customer Service agents are available Monday through Friday, 9:00 a.m. to 6:00 p.m. ET.

SHARPER IMAGE®

The SHARPER IMAGE® name and logo are registered trademarks.
©Sharper Image. All Rights Reserved.